


next 24h
generation
vending



MAGEX[®]
Automated Retail



mage**x** designs
innovative high-tech
vending machines
for a new concept
of vending



AUTOMATED RETAIL **MADE IN ITALY** SINCE 1998

index

magex, flexible technology 4

history and presence in the world 6

conveyor, the heart of our system 8

patented technologies 10

product range 12

easy 14

alaska 16

vision 18

bigstore 20

idea 22

library 24


boxmax 26

additional modules 28

application of use 30

cakes and cupcakes, beautycare, wine, pharma,
dpi, privacy, adults only, 24h supermarket,
lunch break solution, toys, fresh to the table





magex

flexible and innovative products,
like our company



Magex was founded in 1998 in province of Vicenza. For over twenty years, we have been designing and manufacturing vending machines.

In the vending and automatic distribution sector in general, our products stand out thanks to the patented Magex system, that allows the insertion of products of different shapes and sizes, adapting to customer needs.

All components of our vending machines, both software and hardware, are designed, developed, and produced within our facility using high-quality materials, Made in Italy.

Our goal has always been to ensure a simple and intuitive purchasing experience, exploiting the full potential provided by new technologies to create customized projects for the customer.





made in italy
we have
a worldwide presence




conveyor


the heart
of our
system

Magex's vending machines boast unprecedented flexibility in dispensing a wide variety of items.

The **Conveyor**, our patented **spiral-free system**, adapts to every type of product, allowing the combination of adjacent lanes to handle larger items.

The lane system is easily configurable at any time to move objects of any size or shape, with a dedicated system that keeps products separated within the same lane.






Patented Conveyor System.
The first **spiral-free** distribution system that **adapts to any shape and size of product**

A dedicated system that keeps products separated within the same lane

Patented Magex system, flexibility in changing products

The lane system is easily configurable at any time to move objects of any size or shape




WIDTH AND DEPTH

The lane on each floor can advance independently or simultaneously. Through our provided software, multiple belts can be advanced simultaneously.

SHELF HEIGHT

Through a quick-release, slide-in/slide-out system, the heights of the display shelves can be adjusted.

the display shelf adapts to your product



D
adjustable depth
Snap-in dividers

W
modular width managed by the included software

H
variable height with a slide-out system

■
overall dimensions products




PATENTS
European Patent Office
United States of America

software a simple, modular, and always connected management

The **Magex software** comprises three fundamental components: the **user interface software**, responsible for managing the vending machine; the **electronic software**, which interacts with all internal machine systems; and finally, the **web software**, which facilitates communication with all internal systems, web applications, and external servers.

With a solid history of over 15 years, Magex software continues to evolve through the integration of cutting-edge technologies, ensuring optimal performance and offering a user experience that exceeds every expectation.



user interface

Products are conveniently chosen through a screen, where **the customer can read product information and view photos and videos**. The user interface can be customized upon request.

product management

Creating product galleries and pairing them with machine lanes is extremely easy. Our management software is simple and intuitive to use.




technologies

simplicity, practicality and innovation

CLEANING

The pickup area is touched by everyone. Now you can choose a safe dispensing by installing our patented sanitization system.



ANTI-THEFT SLIDING PANELS AND SECURITY VIDEO

For our Easy line, the new patented system with sliding panels allows the closure of product lanes behind the dispensing compartment, preventing potential thefts.

Additional panels can also be installed individually on other shelves to obscure products that may be sold after age verification.



DELICATE DISPENSING

Our internal elevator allows the dispensing of the most fragile and delicate products, such as pastries, cakes, bottles, and eggs, accompanying the products directly to the pickup area.

INDUSTRIAL FRIDGE AND HIGH-EFFICIENCY INSULATION

Magex vending machines are equipped with a high-power industrial fridge and insulation system, ensuring temperature maintenance.



VARIABLE WEIGHT MANAGEMENT

Meat, fruit, cheese: with the patented variable weight selling system, the Magex vending machine manages the correct price for products sold based on weight.



MAGEX[®]




our lines




easy | 19 easy vending easy picking

-  dispensing at 90 cm
-  22" Monitor
-  9/14 lanes modular shelves
-  payments system setup
-  break-proof glass
-  internal LED lighting
-  automatic opening
-  internal elevator




EASY 14
W - 1841
H - 1989
D - 985




EASY 9
W - 1421
H - 1992
D - 883

SPACIOUS AND CONVENIENT PICKUP AREA

The pickup compartment of the Easy line is positioned at a height of 90 cm from the ground. Additionally, the pickup window opens and closes automatically.

CONVEYOR LIFT

Our internal elevator is designed to dispense products with extreme delicacy. A conveyor belt inside the elevator gently moves the products.

22" TOUCH SCREEN

Thanks to the 22" touch screen, customers can visualize and choose products directly from the screen, with the ability to read product descriptions and ingredients.

For each product, there is also the option to add up to 4 photos and a video.


SATELLITE MODULE

The Satellite Module is controlled by the main vending machine, called Master. The Satellite Module is a fully-fledged Magex machine but without the control console with a touchscreen.

An entire room can be transformed into an automated store by combining Master vending machines and their Satellite Modules.


EASY 9

satellite module (max. 4)



EASY 14

satellite modules (max. 4)



■ showcase products ■ touch screen ■ withdrawal area

EASY	9	14
width	1421 mm	1841 mm
height (with cooling system)	1992 mm (2292 mm)	1989 mm (2289 mm)
depth	883 mm	985 mm
withdrawal area	610 x 210 mm	937 x 210 mm
maximum number of floors	8	8
lanes per floor	9	14
voltage supply	230V/50Hz 110V/60Hz	230V/50Hz 110V/60Hz
consumption	600W	660W
weight	530 Kg	730 Kg




video

easy 9
elevator
710 x 225 mm



easy 14
elevator
938 x 223 mm





TECHNICAL FEATURES

- Reinforced pickup compartment
- Gas-filled thermic anti-vandalism glass
- Console with independent opening
- 22" HD monitor
- Quad-core industrial computer
- Operating system installed on 32GB SSD
- LED lighting
- Configurable shelves in height, depth, and number of selections
- Armoured console locks
- Self-diagnostic fault finding system
- Standard multi-control electronics
- Data management and statistics display system
- Temperature control with recording

OPTIONAL

- Banknote reader
- Banknote reader with change giver
- Coin reader with tube change giver
- Coin reader with multihopper change giver
- Outdoor cover
- GSM data management
- Fridge unit
- Variable weight management system
- Item insertion via barcode
- Credit card/debit card reader
- Graphic customization
- RFID loyalty card system
- Age verification reader
- Lexan protective door





alaska | 6 12

ice cream and frozen products

-  negative temperature
-  10 or 22" Monitor
-  payments system setup
-  6/12 lanes modular shelves
-  break-proof glass
-  internal LED lighting
-  internal elevator




ALASKA 12
W - 1971
H - 1995
D - 795




ALASKA 6
W - 1048
H - 1995
D - 795

TEMPERATURE FOR EVERY NEED

The robust thermal insulation and cooling system set the vending machine to the desired negative temperature. Suitable for all types of frozen products, such as ice cream, ready meals, or packaged pizzas.


DELICATE DISPENSING

An internal elevator with a sliding belt retrieves the products and gently moves them towards the pickup compartment located below the monitor. Magex vending machines are designed especially for delicate products of any shape, such as artisanal ice cream or semifreddo.


10" OR 22" TOUCH SCREEN

Thanks to the 10" or 22" touch screen, customers can view and choose products directly from the screen, with the ability to read product descriptions and ingredients. For each product, there is also the option to add up to 4 photos and a video.

ALASKA 6



ALASKA 12




■ showcase products ■ touch screen ■ withdrawal area

ALASKA	6	12
width	1048 mm	1971 mm
height with cooling system	1995 mm	1995 mm
depth	795 mm	795 mm
withdrawal area	238 x 215 mm	258 x 256 mm
maximum number of floors	8	8+8
lanes per floor	6	6+6
voltage supply	230V/50Hz 110V/60Hz	230V/50Hz 110V/60Hz
consumption	700W	1400W
weight	330 Kg	600 Kg



video

internal elevator
510 x 150 mm




TECHNICAL FEATURES

- Reinforced pickup compartment
- Gas-filled thermic anti-vandalism glass
- Console with independent opening
- Reinforced steel frame
- 10" and 22" HD monitors
- Dual-core industrial computer
- Operating system installed on 32GB solid-state drive
- Insulated showcase door
- LED lighting
- Configurable shelves in height, depth, and number of selections
- Armored console locks
- Self-diagnostic fault finding system
- Standard multi-control electronics
- Data management and statistics display system
- Pickup and delivery product elevator
- Temperature control with recording
- Foot cover guard

OPTIONAL

- Banknote reader
- Banknote reader with change giver
- Coin reader with tube change giver
- Item insertion via barcode
- Graphic customization
- RFID loyalty card system
- Printer
- Outdoor cover
- Credit card/debit card reader
- Speaker kit
- Lexan protective door





vision 14

armoured

-  22" Monitor
-  payments system setup
-  14 lanes modular shelves
-  break-proof glass
-  internal LED lighting
-  automatic opening
-  reinforced closing system
-  customisable graphics
-  internal elevator



W - 1841
H - 2289
D - 985

ARMORED STRUCTURE

The armoured frame makes this vending machine particularly suitable for outdoor use. The large window stores a large number of products, creating an attractive showcase.

22" TOUCH SCREEN

Customers can view and choose products directly from the screen, with the ability to read product descriptions and ingredients. Additionally, for each product, there is the option to add up to 4 photos and a video.


SATELLITE MODULE

The Satellite Module is controlled by the main vending machine, called the Master. The Satellite Module is a fully-fledged Magex machine but without the control console with a touchscreen.

An entire room can be transformed into an automated store by combining Master vending machines and their Satellite Modules.

VISION 14


satellite module (max. 4)



■ showcase products ■ touch screen ■ withdrawal area

VISION	14
width	1841 mm
height (with cooling system)	1989 mm (2289 mm)
depth	985 mm
withdrawal area	940 x 210 mm
maximum number of floors	8
lanes per floor	14
voltage supply	230V/50Hz 110V/60Hz
consumption	700W
weight	575 Kg

internal elevator
1010 x 224 mm



TECHNICAL FEATURES

- Reinforced pickup compartment
- Gas-filled thermic anti-vandalism glass
- Console with independent opening
- 22" HD monitor
- Quad-core industrial computer
- Operating system installed on 32GB SSD
- LED lighting
- Configurable shelves in height, depth, and number of selections
- Armoured console locks
- Self-diagnostic fault finding system
- Standard multi-control electronics
- Data management and statistics display system
- Temperature control with recording

OPTIONAL

- Banknote reader
- Banknote reader with change giver
- Coin reader with tube change giver
- Coin reader with multihopper change giver
- Outdoor cover
- GSM data management
- Fridge unit
- Variable weight management system
- Item insertion via barcode
- Credit card/debit card reader
- Graphic customization
- RFID loyalty card system
- Age verification reader
- Lexan protective door





bigstore | 9 14 18

for those who
think big

-  22" Monitor
-  payments system setup
-  9/14/18 lanes modular shelves
-  break-proof glass
-  internal LED lighting
-  automatic opening
-  customisable graphics
-  internal elevator




BIGSTORE 14
W - 1878
H - 1983
D - 984


BIGSTORE 9
W - 1374
H - 2121
D - 945

AN EXTRA LARGE SHOWCASE

The Bigstore vending machine is an automated store with a spacious showcase, perfect for big brands. It is suitable for selling any type of product and offers an engaging shopping experience.


DELICATE DISPENSING, IDEAL FOR FRAGILE PRODUCTS TOO

A robotic arm moves the shuttle toward the desired product, which will be gently transported to the pickup compartment.

22" TOUCH SCREEN


Thanks to the 22" touch screen, customers can view and choose products directly from the screen, with the ability to read the description of each product and view photos and videos.

BIGSTORE 9




BIGSTORE	9	14	18
width	1374 mm	1878 mm	2255 mm
height (with cooling system)	2121 mm	1983 mm (2318 mm)	1983 mm (2318 mm)
depth	945 mm	984 mm	984 mm
withdrawal area	225 x 230 mm	318 x 293 mm	318 x 293 mm
maximum number of floors	8	8	8+8
lanes per floor	9	14	9+9
voltage supply	230V/50Hz 110V/60Hz	230V/50Hz 110V/60Hz	230V/50Hz 110V/60Hz
consumption	800W	900W	1000W
weight	350 Kg	700 Kg	900 Kg


BIGSTORE 14




BIGSTORE 18



■ showcase products ■ touch screen ■ withdrawal area




video
bigstore 9



video
bigstore 14



bigstore 9 elevator
380 x 228 mm





bigstore 14/18 elevator
425 x 230 mm

TECHNICAL FEATURES

- Reinforced pickup compartment with automatic opening
- Motorized elevator with product retrieval and discharge function to the dedicated compartment
- Gas-filled thermic anti-vandalism glass
- Console with independent opening
- 22" Monitor
- Quad-core industrial computer
- Operating system installed on 32GB SSD
- LED lighting
- Configurable shelves in height, depth, and number of selections
- Armoured console locks
- Self-diagnostic fault finding system
- Standard multi-control electronics
- Data management and statistics display system
- Temperature control with recording


OPTIONAL

- Banknote reader
- Banknote reader with change giver
- Coin reader with tube change giver
- Coin reader with multihopper change giver
- Outdoor cover
- GSM data management
- Lexan protective screen
- LCD price display
- Fridge unit
- Variable weight management system
- Item insertion via barcode
- Credit card/debit card reader
- Graphic customization
- RFID loyalty card system
- Lexan protective door








BIGSTORE 18

W - 2239 H - 1983 D - 984





idea | 6

when all you need is an idea

-  10" or 22" Monitor
-  payments systems setup
-  6/9 lanes modular shelves
-  break-proof glass
-  internal LED lighting
-  automatic opening
-  internal refrigeration unit
-  internal elevator




IDEA 9
 W - 1312
 H - 1915
 D - 918


IDEA 6
 W - 892
 H - 1923
 D - 897

SMART VENDING MACHINE

The Idea line is characterized by intelligent vending machines, with 6 or 9 lanes, featuring a 10" or 22" touchscreen designed for dispensing delicate products.

INTERNAL ELEVATOR

Our delicate internal elevator allows for the dispensing of sweets, cakes, cupcakes, as well as eggs, wine bottles, technological products, etc.

The patented Magex system enables the vending of products of different shapes and sizes.

22" OR 10" TOUCH SCREEN


The touchscreen provides a user experience similar to that of an e-commerce platform. The screen offers a menu where the consumer can browse product descriptions, photos, and videos.

IDEA9 SATELLITE MODULE

The Satellite Module is controlled by the main vending machine, known as the Master. The Satellite Module is a fully-fledged Magex machine but without the touchscreen control console. An entire room can be transformed into an automated store by combining Master vending machines and their Satellite Modules. The Idea9 Satellite Module can be paired with all Master vending machines.


IDEA 6

Idea9 satellite module
(max. 4)




IDEA 9

satellite module
(max. 4)




■ showcase products ■ touch screen ■ withdrawal area


IDEA	6	9
width	892 mm	1312 mm
height (with cooling system)	1923 mm	1915 mm
depth	897 mm	918 mm
withdrawal area	399 x 147 mm	550 x 148 mm
maximum number of floors	8	8
lanes per floor	6	9
voltage supply	230V/50Hz 110V/60Hz	230V/50Hz 110V/60Hz
consumption	500W	500W
weight	330 Kg	400 Kg



video
idea 9



idea 6 elevator
485 x 190 mm



idea 9 elevator
760 x 205 mm

TECHNICAL FEATURES

- Foam-insulated for refrigeration
- Reinforced pickup compartment
- Gas-filled thermic anti-vandalism glass
- Console with independent opening
- 10" or 22" HD Monitor
- Quad-core industrial computer
- Operating system installed on 32GB SSD
- LED lighting
- Configurable shelves in height, depth, and number of selections
- Armoured console locks
- Self-diagnostic fault finding system
- Standard multi-control electronics
- Data management and statistics display system
- Temperature control with recording

OPTIONAL

- Banknote reader
- Banknote reader with change giver
- Coin reader with tube change giver
- GSM data management
- LCD price display
- Variable weight management system
- Item insertion via barcode
- Credit card/debit card reader
- Graphic customization
- Age verification reader
- Sanitization system
- Loyalty card and corporate app integration
- Temperature control
- Lexan protective door





library | 230 650 1000

vending machine with trays

-  22" Monitor
-  automatic opening
-  payments system setup
-  loan and return management



LIBRARY 650
W - 2000
H - 2374
D - 1108

TRAY DISPENSING SYSTEM

An RFID reader built into our machines provides tag recognition when the operator loads products. Tag pairing can be done remotely; during loading, a robotic arm will automatically place the items in the correct position. An intelligent control system identifies the thickness of the products to optimize space in the internal warehouse.

FOR SALE OR RENTAL


Library is a robotic warehouse suitable for both sale and rental. The tray dispensing system moves on three axes and operates in both directions: to and from the pickup area, allowing items to be taken and returned. This feature is particularly suitable for books, tools, or personal protective equipment, but it can be useful for any product that fits the tray size: 240 x 300 mm.

The return process can be set up using loyalty cards or QR codes. If not configured, the machine will simply function as a regular vending machine.


PRODUCT DISPLAY CASE

Upon request, we offer optional glass doors to replace standard doors. Additionally, display shelves for attention-grabbing gadgets can be added, ensuring an appealing presentation of products inside the vending machine.


LIBRARY 230



LIBRARY 650




LIBRARY 1000




■ touch screen ■ withdrawal area

LIBRARY	230	650	1000
width	1129 mm	2000 mm	3432 mm
height (with cooling system)	2040 mm (2374 mm)	2040 mm (2374 mm)	2040 mm (2374 mm)
depth	1108 mm	1108 mm	1108 mm
withdrawal area	242 x 185 mm		
maximum number of trays	230	650	1000
power supply	230V/50Hz 110V/60Hz	230V/50Hz 110V/60Hz	230V/50Hz 110V/60Hz
consumption	700W	1400W	2100W
weight	350 Kg	700 Kg	1000 Kg



video
library 650



tray dimensions
240 x 300 mm

TECHNICAL FEATURES

- Reinforced pickup compartment
- Console with independent opening
- 22" HD Monitor
- Quad-core industrial computer
- Self-diagnostic fault finding system
- Standard multi-control electronics
- Data management and statistics display system
- Temperature control with recording
- Tray dispensing system





OPTIONAL

- Credit card/debit card reader
- Graphic customization
- Loyalty card system and RFID reader





boxmax locker

-  Easy-to-set modular cabinets
-  10" Monitor
-  payments system setup
-  refrigeration



**BOXMAX
MODULE**
W - 883
H - 1992
D - 883
door/glass or
door/blind
version

PERFECT FOR SALES AND AS A PICKUP POINT

Boxmax is available both as a standalone machine (called Master) and as a Satellite Module to be attached to your Magex vending machine to expand its functionalities. Boxmax is the accessory that allows you to add a versatile space to your automated store suitable for both sales and as a pickup point.

It is managed from the main machine's console and allows the opening of the dedicated door for each individual customer. It is the perfect solution for large-sized products as well.


CREATE YOUR SPACE

Make the most of modularity and customize your Boxmax: independently configure shelves and hatches to create a larger compartment.

10" TOUCH SCREEN

Thanks to the 10" touch screen, customers can view and choose products directly from the screen, with the option to read the product description and ingredients. Additionally, for each product, there is the possibility to add up to 4 photos and a video.

BOXMAX



features	REFRIGERATED BOXMAX (glass doors)	BOXMAX (blind doors)
width	994 mm	883 mm
height	2286 mm	1992 mm
depth	883 mm	883 mm
withdrawal area	300 x 230 x 500 mm	340 x 195 x 862 mm
maximum number of doors	11 - Master 12 - Satellite	14 - Master 16 - Satellite
voltage supply	230V/50Hz 110V/60Hz	230V/50Hz 110V/60Hz
consumption	500W	500W
weight	420 Kg	320 Kg

TECHNICAL FEATURES

- Reinforced pickup hatch with automatic opening
- Gas-filled thermal break glass
- Console with independent opening
- 10" HD Monitor
- Quad-core industrial computer
- Operating system installed on 32Gb SSD
- LED lighting
- Modifiable hatch configurations
- Console with armored locks
- Self-diagnostic fault finding system
- Standard multi-control electronics
- Data management and statistics display system
- Temperature control with recording
- Industrial refrigerator unit

OPTIONAL

- External cover
- GSM data management
- Variable weight management system
- Item insertion via barcode
- Credit card/debit card reader
- Graphic customization
- RFID loyalty card system





additional modules and solutions for every need

MICROWAVE COLUMN

Vending machines with a microwave!

Upgrade your vending machine to a self-service restaurant where you can install up to three ovens.

The Microwave Column is controlled by the main console, which will automatically set the appropriate parameters for cooking the purchased products.

The Microwave Column is suitable for all Magex vending machines. Alaska, our frozen vending machine, is the recommended choice. Save time with parallel purchasing: while one oven heats the dish, a second customer can make another purchase.



SATELLITE MODULES

Need more space?

The Easy, Vision14, and Idea9 lines can accommodate the growth of your business over time with satellite modules.

The Satellite Module is controlled by the main vending machine, called the Master. The Satellite Module is a full-fledged Magex machine but without the control console with a touchscreen.

An entire room can be transformed into an automatic store by combining Master vending machines with their Satellite Modules.

The Easy, Idea, and Vision lines can have up to four satellites. Different temperatures can be set in each module with our optional cooling system (for example, one temperature suitable for food and another for beverages).



AUTOMATIC DISPENSER + LOCKER

Boxmax is the locker you can add to your Magex automatic dispenser to expand its features.

It is controlled by the main machine. Up to 16 lockers for the non-refrigerated satellite version and up to 12 lockers for the refrigerated satellite version. They can be used for selling, renting, or as a pick-up point.

You can request the configuration of the doors that best suits your needs.






MAGEX[®]



applications

magex
vending machines
are real automated
stores available 24
hours a day, suitable
for placement in any
location



CAKES AND CUPCAKES

High pastry is one of the successful markets for Magex solutions. Our delicate dispensing system can even dispense the most fragile and decorated cupcakes, stored at the correct temperature.



ICE CREAM AND FROZEN PRODUCTS

Our Alaska vending machines can maintain a temperature of up to -23°C and dispense even the most delicate ice creams, thanks to the internal elevator.



FRESH TO THE TABLE

Milk, meat, fresh vegetables, and even eggs!
Sell your genuine local products with an automatic vending machine.



24H SUPERMARKET

With Magex vending machines, you can create real automatic shops open 24/7 - Imagine, for example, a small town lacking a convenience store: here's the solution!



WINE

Our automatic wine shop, far from being an anonymous experience, is the solution for selling even after closing time.

Perfect for choosing or picking up the best bottle for dinner at the last minute.

Combining it with a Satellite Module allows for different temperatures, for example, for red and white wines.



LUNCH BREAK SOLUTIONS

Hot meals all day long!

No more fixed schedules for your company canteen or queues at university for lunch. Enjoy your hot meal whenever you want, thanks to a Magex vending machine combined with the microwave column.

With our Boxmax, you can also provide special meals for people with specific needs (vegan, gluten-free, etc.).






TOYS

Let's not forget the little ones!
Toy vending machines inside a shopping center are an irresistible temptation!



CLOTHING

Magex vending machines are perfect for selling clothing, enhancing your brand identity, or expanding your sales channels.



BEAUTY CARE

Forgot your lipstick?

No problem!

Bring your Beauty Care products anywhere: in airports or shopping malls, pamper your customers by providing them with exactly what they need in the right place at the right time.



PRIVACY VM 18

When privacy is crucial, Magex has the most suitable solution.

Dark panels can completely or partially conceal the showcase, and in addition to age verification, it allows for secure sales.

PHARMA24

Magex has developed an integration with robotic pharmacies for specific distributors. You can dispense any product available in the store that is served by the robot.

With the Pharma24 solution, medications and health products are available 24x7.

Not just sales: Pharma24 is, above all, a service.

With our Boxmax, your customers have the option to pick up prescriptions or products they have previously reserved.



DPI

Increase efficiency in managing security within your company. At any time, your employees can independently retrieve gloves, masks, or any other essential device for working safely.

Each employee can be assigned a maximum number of daily devices through a personal code. With Magex's Boxmax and Library machines, products can also be returned after use.



Management
System
ISO 9001:2015



www.tuv.com
ID 9000010188



MAGEX[®]

ENG_11.23

www.magex.it

MAGEX

MAGEX SRL

Via Vigazzolo 108 | 36054 Montebello Vicentino (VI) Italy
+39 0444 440917 | info@magex.it



Management
System
ISO 9001:2015

www.tuv.com
ID: 8000010188

